

Features

- : 10 mW High power VCSEL
- : 1Gbps data rates
- : 850nm wavelength range
- : Ball lens Type TO-46 Can Package
- : Other configurations available on request

Applications

- : High speed Data Communications
- : Gigabit Ethernet
- : Fiber Channel
- : Free Space Optics
- : Sensor


Description




Absolute Maximum Ratings

Parameter	Rating
Storage Temperature	-40 to 100 °C
Operating Temperature	0 to 70 °C
Lead Solder Temperature	260 °C, 10 sec
Continuous Forward Current	30 mA
Continuous Reverse Voltage	5V (@10µA)

Dimensions



Unit:mm



PINOUT



Number	Function
1	A _{LD}
2	NC
3	K _{LD}

Electro-Optics Characteristics ($T_a=25^{\circ}\text{C}$ unless otherwise stated)

Parameters	Symbol	Specified			Unit	Test Conditions
		Min.	Typ.	Max.		
Threshold Current	I_{th}		5		mA	CW
I_{th} Temperature Variation	ΔI_{th}		2.5		mA	$T_a=0$ to 70°C
Slope Efficiency	η	0.2	0.4		W/A	$I_f = 20\text{mA}$
η Temperature Coefficient	$\Delta\eta / \Delta T$		-0.5		%/ $^{\circ}\text{C}$	$T_a=0$ to 70°C at 20mA
Optical Output Power	P_o	8	10		mW	$I_f = 20\text{mA}$
Peak Wavelength	λ	840	850	860	nm	$I_f = 20\text{mA}$
λ_p Temperature Coefficient	$\Delta\lambda / \Delta T$		0.06			$T_a=0$ to 70°C at 20mA
Forward Voltage	V_f	1.6	1.9	2.2	V	$I_f = 20\text{mA}$
Breakdown Voltage	V_b		-10		V	
Dynamic Resistance	R_d		25	40	Ohm	$I_f = 20\text{mA}$
Focal Length	F_D		2.5		mm	

Notes

* These specifications are subject to change without notice



NOTICE


The inherent design of this component causes it to be sensitive to electrostatic discharge(ESD). To prevent ESD-induced damage and/or degradation to equipment, take normal ESD precautions when handling this product

DANGER


The VCSEL is a class IIIb laser and should be treated as a potential eye hazard. Due to the size of the component, the applicable warning logotype, aperture label, and certification / identification label cannot be placed on the component itself.

Characteristics Curves


LIV Curve



LIV vs Temperature



P_o vs Temperature



I_{th} vs Temperature

